

**GRU
KRANE
GRUES
CRAINS**

CORMACH - BELLOLI

TIPO TYP TYPE	Momento statico Statisches Moment Moment statique Static moment [tm]	Sbraccio idraulico Hydraulische Reichweite Longueur du bras hydraulique Hydraulic boom length [m]	Peso Gewicht Poids Weight [kg]
4000 E1	4.70	4.95	690
4000 E2	4.70	6.60	740
4000 E3	4.70	8.40	810
6800 E1	6.80	4.95	920
6800 E2	6.80	6.60	985
6800 E3	6.80	8.30	1'060
8700 E1	8.73	5.77	1110
8700 E2	8.73	7.63	1194
8700 E3	8.73	9.53	1162
8700 E4	8.73	11.47	1350
9800 E2	10.50	6.30	1'595
9800 E3	10.70	7.80	1'630
12000 E1	12.30	5.84	1'520
12000 E2	12.30	7.69	1'635
12000 E3	12.30	9.58	1'740
12000 E4	12.30	11.51	1'830
12000 E4F	12.30	15.87	2'055
12000 T2	12.70	6.37	1'540
12000 T3	12.70	8.50	1'660
13500 T2	15.70	6.38	1'640
13500 T3	14.48	8.44	1'750
13500 T4	13.10	10.60	1'870
16600 E1	16.60	6.18	1'880
16600 E2	16.60	8.23	2'000
16600 E3	16.60	10.27	2'150
16600 E4	16.60	12.23	2'320
16600 E4F	16.60	16.60	2'630
17900 S3	17.90	7.00	2'100
18000 E2 ASC	18.00	8.23	2'000
18000 E3 ASC	18.00	10.27	2'150
18000 E4 ASC	18.00	12.23	2'320
18000 E4F ASC	18.00	16.60	2'630
19500 E2 ASC	19.5	8.08	2'000
19500 E3 ASC	19.5	10.14	2'150
19500 E4 ASC	19.5	12.27	2'320

**GRU
KRANE
GRUES
CRAINS**

CORMACH - BELLOLI

TIPO TYP TYPE	Momento statico Statisches Moment Moment statique Static moment [tm]	Sbraccio idraulico Hydraulische Reichweite Longueur du bras hydraulique Hydraulic boom length [m]	Peso Gewicht Poids Weight [kg]
22500 E1 ASC plus	23.00	5.72	2'460
22500 E2 ASC plus	23.00	7.56	2'600
22500 E3 ASC plus	23.00	9.56	2'740
22500 E4 ASC plus	22.00	11.56	2'860
22500 E5 ASC plus	22.00	13.70	2'960
22500 E6 ASC plus	22.00	15.84	3'060
22500 E4F64 ASC plus	22.00	21.77	3'520
25500 E2	27.15	7.40	2'660
25500 E4	27.15	11.30	2'980
25500 E6	25.50	15.50	3'290
25500 E8	25.50	20.00	3'510
27'500 E4 ASC plus	28.00	11.29	3'080
27'500 E6 ASC plus	28.00	15.54	3'390
27'500 E8 ASC plus	28.00	20.00	3'610
27'500 E4F64 ASC plus	28.00	21.40	3'850
27'500 E6F64 ASC plus	28.00	25.56	4'160
27'700 S2 ASC plus	28.50	5.64	2'850
27'700 S4 ASC plus	28.50	9.52	3'180
27'700 S6 ASC plus	27.50	13.76	3'490
27'700 S8 ASC plus	27.50	18.21	3'720
28'200 E2 ASC plus	28.20	7.30	2'710
28'200 E4 ASC plus	28.20	11.10	3'030
28'200 E6 ASC plus	28.20	15.40	3'340
28'200 E8 ASC plus	28.20	19.70	3'560
34'000 E3 ASC plus	34.50	10.04	3'650
34'000 E4 ASC plus	34.50	12.14	3'830
34'000 E5 ASC plus	34.50	14.25	4'000
34'000 E6 ASC plus	34.50	16.40	4'175
34'000 E7 ASC plus	34.50	18.68	4'330
34'000 E8 ASC plus	34.50	20.81	4'435
34'000 E5F64 ASC plus	34.50	24.40	4'770
34'000 E6F64 ASC plus	34.50	26.55	4'940

**GRU
KRANE
GRUES
CRAINS**

CORMACH - BELLOLI

TIPO TYP TYPE	Momento statico Statisches Moment Moment statique Static moment [tm]	Sbraccio idraulico Hydraulische Reichweite Longueur du bras hydraulique Hydraulic boom length [m]	Peso Gewicht Poids Weight [kg]
38'000 E4	38.00	10.45	4'220
38'000 E6	38.00	14.49	4'660
38'000 E8	38.00	18.74	5'060
38'000 E6F	38.00	20.79	5'230
38'000 E8F	38.00	24.79	5'640
40'400 E4 ASC plus	40.40	10.45	4'220
40'400 E6 ASC plus	40.40	14.49	4'660
40'400 E8 ASC plus	40.40	18.74	5'060
40'400 E6F ASC plus	40.40	20.79	5'230
40'400 E8F ASC plus	40.40	24.79	5'640
49'000 E4	49.00	10.30	5'070
49'000 E4SE	49.00	10.30	4'870
49'000 E6	49.00	14.34	5'810
49'000 E8	49.00	18.59	6'300
49'000 E6F134	49.00	24.25	7'095
49'000 E8F64	49.00	28.64	7'420
51'800 E4 ASC plus	53.90	10.30	5'070
51'800 E6 ASC plus	53.90	14.34	5'810
51'800 E8 ASC plus	53.90	18.59	6'300
51'800 E6F134 ASC plus	53.90	24.25	7'095
51'800 E8F64 ASC plus	53.90	28.64	7'420
60'200 E3	60.20	8.50	5'615
60'200 E6	61.00	14.30	6'630
60'200 E6F	61.00	20.37	7'360
65'000 E3 ASC plus	64.10	8.50	5'615
65'000 E6 ASC plus	64.10	14.30	6'630
65'000 E6F ASC plus	64.10	20.37	7'360
71'000 E2 ASC plus	71.20	6.64	5'973
71'000 E3 ASC plus	71.20	8.39	6'251
71'000 E4 ASC plus	71.20	10.20	6'489
71'000 E5 ASC plus	71.20	12.05	6'724
71'000 E6 ASC plus	71.20	14.00	6'963
71'000 E7 ASC plus	71.20	16.17	7'178
71'000 E8 ASC plus	71.20	18.06	7'408
71'000 E9 ASC plus	71.20	20.30	7'626
71'000 E11 ASC plus	71.20	24.50	7'914
71'000 E7F186 ASC plus	71.20	28.35	8'616
71'000 E9F134 ASC plus	71.20	30.00	8'738

**GRU
KRANE
GRUES
CRAINS**

CORMACH - BELLOLI

TIPO TYP TYPE	Momento statico Statisches Moment Moment statique Static moment [tm]	Sbraccio idraulico Hydraulische Reichweite Longueur du bras hydraulique Hydraulic boom length [m]	Peso Gewicht Poids Weight [kg]
87'000 E2 ASC plus	87.00	6.55	7'180
87'000 E3 ASC plus	87.00	8.27	7'500
87'000 E4 ASC plus	87.00	10.04	7'800
87'000 E5 ASC plus	87.00	11.87	8'100
87'000 E6 ASC plus	87.00	13.80	8'400
87'000 E7 ASC plus	87.00	15.77	8'680
87'000 E8 ASC plus	87.00	18.00	8'980
87'000 E9 ASC plus	87.00	19.94	9'210
87'000 E11 ASC plus	87.00	24.30	9'600
87'000 E7F186 ASC plus	87.00	30.18	10'420
88'000 E4 ASC plus	90.50	11.58	8'050
88'000 E6 ASC plus	84.50	15.85	8'570
88'000 E6JIB153 ASC plus	90.50	26.00	9'830
88'000E6JIB ASC plus	90.50	33.46	10'130
100'000 E2 ASC plus	105.00	7.44	7'310